





Godrej is one of India's outstanding corporations. Our products touch the lives of over half a billion people. To put it in perspective, every second Indian interacts with atleast one Godrej product or service every day. Our products range from soaps and locks to aerospace technology, from consumer durables to material handling and storage solutions, from ready to eat food to contemporary home and office furniture.

ABOUT GODREJ

We also make good deeds part of our daily business. Our rural electrification project powers remote villages. Our Chotukool refrigerators help the needy generate income. Vocational training and affirmative action ensures that people from diverse backgrounds are welcomed into the large Godrej family. For close to a century, we have nurtured a vast area of mangroves that act as veritable lung for the city of Mumbai.

Today, we are a 116 year young, \$ 4.1 billion conglomerate with a presence in 60 countries. How have we stood the test of time? We adapt. We advance. We keep in step with the rhythm of our times. But our evolution has never been at the cost of the great good things Godrej has always stood for: Trust, Integrity and Humility. Our remarkable past distinguishes us from others. But we know that we owe the future our sincere best. We are only as good as what we do next. As more people interact with us, the more we become an integral part of their lives. And that truly, is the Godrej story.



ABOUT GODREJ MATERIAL HANDLING

Godrej Material Handling is India's largest manufacturer of lift trucks. Our range includes electric, LPG and diesel counterbalanced forklifts up to 25 tonne capacity, warehouse trucks and special trucks for specific applications. We also manufacture attachments of our own design for addressing a wide range of special handling applications besides offering attachments made by international specialists in the field when the application demands.

Our partners Crown, Komatsu, Hubtex, Tennant, Merlo, Iteco and Harlan complement our range to create a full basket of offerings for our customers.

Besides new equipment, we also offer pre-owned equipment. You have a choice of outright purchase or of taking the equipment on hire. Various maintenance programs offered through our network of 19 branches and over 53 dealers across India provide solid service back-up.

We export our equipment to over 40 countries throughout Asia, Middle East, Africa and Latin America.

Godrej Material Handling holds ISO 9001-2008, ISO 14001-2004 and OHSAS 18001-2007 quality assurance certificates awarded by TUV Nord. We are the only Indian company ranked among the top 30 lift truck manufacturers in the world.

GODREJ

COUNTER BALANCED FORKLIFTS











0.8 - 1.6 tonne 3-wheel Electric Forklifts GX series

- Capacity rated at 500 mm load center; lift heights up to 6 m
- Class leading compactness and turning radius (1040 mm)
- Integrated drive train package with AC traction motor and electronic control for smooth drive performance
- · Variable wheel base increase stability while lifting the load
- Molded seat, battery roll out make the forklift an operator's delight

4-wheel Electric Forklifts GX Neo series

- 1.5 to 3 tonne capacity at 500 mm load center; lift heights up to 7.2 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Container stuffing / de-stuffing configurations
- Energy efficient, maintenance free AC motor
- Electronic control of hydraulic operations with an AC motor enhance energy saving, battery life and handling performance
- Advance instrumentation monitors and displays all key operating parameters

4-wheel Electric Forklifts GX Bravo series

- 1.5 to 3 tonne capacity at 500 mm load center; lift heights up to 7.2 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Container stuffing / de-stuffing configurations
- Energy efficient, maintenance free AC technology for traction and hydraulics enhances energy saving, battery life and handling performance
- Performs like a diesel forklift with 15 kmph travel speed and 21% gradeability
- Class leading turning radius (1770 mm on 2 tonne; 1980 mm on 3 tonne)
- Advanced instrumentation monitors and displays all key operating parameters

4-wheel Electric Forklifts GX Bravo series

- 5 tonne capacity at 500 mm load center; lift heights up to 5.5 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Container stuffing / de-stuffing configurations
- Energy efficient, maintenance free AC technology for traction and hydraulics enhances energy saving, battery life and handling performance
- Advanced instrumentation monitors and displays all key operating parameters

Diesel forklifts GX series

- 1.5 to 3 tonne capacity at 500 mm load center; lift heights up to 7.2 m
- Mast: 2-stage with full free lift / 3-stage with full free lift
- Single speed automatic transmission with electric power shift and wet disc brakes
- Container stuffing / de-stuffing configurations

GODREJ

COUNTER BALANCED FORKLIFTS







Diesel forklifts GX series

- 4 tonne at 500mm load center, 5 and 6 tonne at 600 mm laod center; lift heights up to 7 m
- Mast: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- 2 speed automatic transmission
- Container stuffing / de-stuffing configurations
- 5 tonne forklift also available with 750 mm load center for working with large attachments or for capacity advantage at higher fork height

Diesel forklifts G series

- 5 to 10 tonne capacity at 600 mm laod center; lift height up to 5.5 m with 2-stage mast
- Powerful automatic transmission and automotive drive axle
- Full lifting capacity available up to 5.5 m fork height
- Best suited for heavy duty, outdoor yard application
- Special 6.1 m mast for stacking empty 20' and 40' containers
- 900 mm load center is an option on the 8 and 10 tonne models for handling special loads

Diesel forklifts G series

- 12 to 25 tonne capacity at 600 / 900 / 1200 mm load center; lift heights up to 4 m with duplex masts
- Designed and built for heavy duty use in port and steel mill applications
- Optional coil handling boom for damage free and easy handling of steel coils

Container Stuffing Heavy Diesel Forklifts

- 8 and 10 tonne capacity at 600 / 750 mm load center; lift height 1.8 m
- Specially designed, ultra compact construction to drive into freight containers
- Developed for container stuffing / de-stuffing of heavy steel coils and pallets

Tyre Handler Forklifts

- 0.5 to 3.5 tonne tyre weight
- Indigenously designed and manufactured tyre handler attachments
- Up to 4 axes of manipulation ensures high flexibility and handling precision
- Large, off-the-road tyres and non-slip differential lend capability to work in mining environment

Empty Container Handlers 4 and 5 high

- Rugged chassis and powerful drive train to suit port operating environment
- Container lifting side spreaders from Europe

KOMATSU

COUNTER BALANCED FORKLIFTS

- Deming prize winner for exceptional quality
- World's 10th largest manufacturer of lift trucks
- Also renowned for heavy construction equipment
- Leverages knowledge and experience gained from heavy construction equipment to build rugged and high quality forklifts



Diesel Forklifts (AX, BX, CX and DX series)

- 1.5 to 8 tonne capacity; lift heights up to 7 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Engines comply with EPA Tier 3 / EU stage III emission norms
- Automatic transmission with torque converter
- Wet disc brakes (CX series) can deliver up to 10,000 hours of operation without maintenance, eliminating downtime due to brake shoe replacement
- · Super Lift hydraulics rapidly lift cargo even with the engine idling
- Dual floating structure dramatically reduces vibrations providing great comfort over long working hours



Diesel Forklifts (EX, FX and GX series)

- 10 to 25 tonne capacity; lift heights up to 6 m
- · High performance engines with CRDI and electronic management for
- maximum efficiency and power optimization under all load conditions
- Engines comply with EPA Tier 3 / EU stage III emission norms
- Exceptional travel speeds and class leading lifting performance
- Wet disc brakes can deliver up to 10,000 hours of operation without maintenance, eliminating downtime due to brake shoe replacement



LPG/Petrol Forklifts (AX, BX, CX series)

- 1.5 to 7 tonne capacity; lift heights up to 7 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Automatic transmission with torque converter
- Wet disc brakes (CX series) can deliver up to 10,000 hours of operation
- without maintenance, eliminating downtime due to brake shoe replacement
- Super Lift hydraulics rapidly lift cargo even with the engine idling
- Dual floating structure dramatically reduces vibrations providing great comfort over long working hours



Electric Forklifts (AE/AM and BE series)

- 1.2 to 3 tonne at 500 mm load center; lift heights up to 6 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Wheel configuration: 3 and 4 wheel models, solid and pneumatic tyres
- Total AC system (on AE/AM series) with twin drive motors and electronically controlled motor for lift/steer operations
- Performance of the BE series can be customized to suit any cargo handling, site and job requirements
- Proportional hydraulics accurately control oil flow to lift / tilt cylinders, guaranteeing smooth motion and minimizing shocks during fork movement



GODREJ

ATTACHMENTS AND **ACCESSORIES**

- · Accessories enhance forklift performance and provide safety and/or special capabilities
- Attachments are a productive and safe way of handling specific items like paper rolls, textile or paper bales, steel coils, drums, bulk materials, etc.
- Attachments like side-shifts, fork positioners, load backrest, fork extensions, cranes, etc enhance productivity and safety of handling



Rotating Forks



Drum Handling Parrot Beak





Paper Roll Clamp



Stoker

- Fork extensions
- Carriage mounted crane
- Fork mounted crane
- Load backrest
- Furnace stoking attachment
- Drum grab attachment
- Parrot beak attachment
- · Prongs attachment
- Coil lifting ram
- Drop bottom dumper
- Shovel attachment
- Side-shift
- Fork positioner
- Lateral bale clamps
- Paper roll clamps
- Load stabilizer
- Pallet fork clamp
- Rotating forks



Baleclamps



Fork Mounted Crane





Shovel

- Battery chargers
- Non-marking tyres
- Fully enclosed operator cabin
- Cold start kit
- Cold storage area package
- Zone II hazardous area package
- Furnace operations package
- Drive-in racking package
- Towing pin
- Lights package
- Flashing beacon
- Reversing alarm
- · Oxycatalyst gas purifier
- Spark arrestor
- Water muffler



GODREJ WAREHOUSE TRUCKS



Hand Pallet Trucks

- 2.5 tonne capacity; 185 mm lift height
- Offered with 550 and 685 mm fork spread to manage different pallet sizes
- Frame fabricated from cold rolled steel, powder coated
- Stainless steel version developed for use in pharmaceutical and food processing industries

Powered Pallet Trucks GPPT series

- 1 and 2 tonne capacity at 600 mm load center, 205 mm lift height
- 550 and 685 mm fork spreads to manage different pallet sizes
- Brushless, maintenance free, energy saving AC motors and
- electronic controllers
- Full function control handle for safe and productive operation
- Tandem load rollers for better weight distribution
- Battery roll out system facilitates battery change within minutes
- Options include operator platform

Manual and Semi-electric Stackers

- 1 tonne capacity at load centers 400 / 600 mm (Manual / Semi-electric)
- Manual stacker with 1.5 m lift height
- Semi-electric models with lift heights of 2.4 and 3.3 m
- Compact, lightweight construction
- Ideal for infrequent handling of small loads at medium heights


Electric Stackers ES / ESW / EST series

- 1 and 1.5 tonne capacity at 600 mm load center; lift heights up to 6.3 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- 3 different chassis platforms (ES / ESW / EST) to suit different pallet types, lifting capacities and fork heights
- Brushless, maintenance free, energy saving AC motors and electronic controllers
- Full function control handle for safe and productive operation
- Tandem load rollers for better weight distribution
- Options: Operator platform, battery roll-out system, high capacity batteries and load backrest

Counterbalanced Electric Stackers GCS series

- 1.5 tonne capacity at 600 mm load center; lift heights up to 4.5 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Front / back mast tilt mimics counterbalanced forklift operation
- · Perfectly suited to less frequent, general purpose handling and stacking operations
- Integrated drive unit with brushless, maintenance free, energy saving AC drive motor and electronic controller
- Fail-safe electromagnetic brake on drive motor













- Full function control handle for safe and productive operation
- Battery roll out system for quick and easy battery changes
- Options: Operator platform and high capacity batteries

Articulated Forklifts GA series

- 1.5 to 2 tonne capacity at 600 mm load center; lift heights up to 9 m
- Masts: 2-stage / 2-stage with full free lift / 3-stage with full free lift
- Class leading working aisle width as low as 1.6 m, tighter than any other equipment (50% less than forklifts, 30% less than reach trucks)
- Requires minimum space for operation, adds storage space
- Indoor / outdoor operating capability eliminates the need for different types of lift trucks
- Eliminates double handling; moves pallet from lorry to rack in one step
- Patented articulation technology

Reach Trucks GRT series

- 1 and 1.2 tonne capacity at 600 mm load center; lift heights up to 7.5 m
- Mast: 3-stage moving mast with full free lift
- Tightly nested mast sections to minimize sway at full height
- Integrated drive unit with brushless, maintenance free, energy saving AC drive motor and electronic controller
- Advanced operator cab with excellent visibility, operator presence safety, fully adjustable seat, electric steering, fingertip valve control, digital machine status display

Electric Platform Trucks GPT Series

- 2 tonne capacity; 3 wheeled; 1 x 1.5 m platform; 13 kmph max. travel speed
- Powerful DC SepEx traction motor and electronic controller for smooth driving control
- Imported helical gear box transmission with electric shift
- · Power steering offered as an option

Tow Trucks GTT series

- 2 tonne capacity stand up and sitdown rider type
- 5 and 6 tonne capacity sit down rider type
- Operator can work the tow hitch while remaining on the truck
- · Heavy duty chassis protects internal components from shocks and damage
- Powerful DC SepEx traction motor and electronic controller for smooth driving control
- Battery roll out system for quick and easy changes
- Fully adjustable molded seat for operator comfort even over long work hours

CROWN

WAREHOUSE TRUCKS

- 5th largest lift truck manufacturer in the world & #1 in elecric lift trucks.
- Only lift truck manufacturer in the world to design and manufacture its own electric motors
- Reputed for its award winning designs and technology innovations across product categories
- Known for conceiving its equipment around the operator and great attention to detail



Powered Pallet trucks WP 3000 & WT 3000 series

- Powered Pallet trucks WP 2300 & WT 3000 series
- 1.6,2 and 2.5 tonne capacity at 600mm load centre
- · Ideal for block stacking due to it's compact construction and high ma neuverability
- Life time guarantee on structural chassis
- Award winning X10TM control handle with 10 in-built functions
- Options: Patented weight adjustable flexi ride system, side restraints electronic steering
- Best in class durability, task efficiency with travel speeds upto 12.5 km/h



Stackers WF/ST/SX 3000 and ES/ET 4000 series

- 1 to 1.8 tonne capacity at 600 mm load center; lift heights up to 5.23 m
- WF/ST/SX 3000 series with integrated charger are designed for low / medium throughput applications
- Low profile and short length of battery compartment provides excellent visibility of fork tips
- Heavy duty nested I-beam mast provides exceptional stability at height
- Award winning X10™ control handle with 10 in-built functions
- Options: Spring loaded platform, side restraints



Stand up rider, 3 wheel, counterbalanced forklifts RC 5500 series

- 1.3 to 1.8 tonne capacity at 500 mm load center, lift heights up to 7 m
- Large rubber tyres make it more tolerant to uneven flooring and outdoor usage as well
- Needs about 10% less aisle width than equivalent sit down rider forklifts
- Maintenance free AC traction and steering motors, CAN-Bus technology and Access 1-2-3 comprehensive control system guarantee high energy efficiency and uptime, simplify maintenance
- Patented e-Gen electronic braking system eliminates mechanical components and their maintenance
- Patented 'Flexride' suspended floor board with weight adjustment allows adjustment of suspension to suit individual comfort and protect against shocks and vibrations



Double Deep Reach Truck RD 5700 Series

- 1.45 tonne capacity at 600 mm load centre, lift height up to 12m
- No de-ration for 2nd deep stacking operation implying this equipment increases storage density by up to 50 percent by eliminating every second aisle
- Maintenance free AC traction & steering motors, CAN-Bus technology & Access 1-2-3 comprehensive control system guarantee high energy efficiency and uptime, simplify maintenance
- Multi Task Control handle with variable side stance design contribute to superior operator stability & task positioning
- Regenerative motor braking & on Tractm anti-static traction control for improved safety and stability
- Options: Rack Height Select, Tilt Position Assist, Cold Storage Conditioning & Camera on Forks
- RD 5700 S executive class variant provides superior performance in terms of lift and travel speed and increased lift heights, thus Improving productivity

CROWNWAREHOUSE TRUCKS



Reach Truck ESR 5200 series

- 1.4 to 2 tonne capacity at 600 mm load center; lift height up to 13 m
- Sit down rider, moving mast design
- Maintenance free AC traction and steering motors, CAN-Bus technology and Access 1-2-3 comprehensive control system guarantee high energy efficiency and uptime, simplify maintenance
- · Class leading ergonomics, controls, visibility, serviceability and reliability
- All-wheel intelligent braking system
- Patented off-set mast design provides wide visibility and soft-lift / soft stop for smooth load movement
- · Options: Rack height select, tilt position assist, camera on forks
- ESR 5000 S executive class variant provides many additional features to increase operator comfort and productivity



Turret Stock Pickers TSP 6000/6500/7000 series

- 1 & 1.5 tonne capacity at 600 mm load center; lift heights up to 17.1 m
- Patented box type mast construction provides extreme rigidity and confidence to the operator at full height
- Maintenance free AC traction and steering motors, CAN-Bus technology guarantee high energy efficiency and uptime, simplify maintenance
- Access 1-2-3 comprehensive control system has 7 interactive modules for totally integrated machine control
- Patented intelligent braking system controls travel speed and braking force at height gives maximum confidence to the operator, improves productivity
- Available with rail and wire guidance systems
- 1.5 TSP and 1.8 TS series variants provide 1.5 and 1.8 tonne capacity up to 14 m lift height



Work Assist Vehicle WAV 50

- Conceived for use in retail industry, supermarkets, spare parts warehouses
- 90 kg capacity on tray, 110 kg capacity on deck; lift height 2.1 or 2.9 m
- The WAV concept is the safest way to work at height; eliminates the need for ladders to access shelving systems
- Multipurpose vehicle for low level, light weight order picking; can also be used for general maintenance work at medium height



- Specializes in equipment that efficiently handles long and bulky loads in narrow spaces
- Also manufactures custom engineered equipment to suit specific applications
- Ranked 25th in worldwide among lift truck manufacturers











Electric Multidirectional Sideloaders

- 1 50 tonne capacity; load bed width 800 2100 mm; lift heights up to 10 m
- Indoor and outdoor application
- Multidirectional steering for optimum maneuverability
- Reduced wheel arm height for optimum utilization of storage racks
- Option: Roller guidance system for operating in narrow aisles

Diesel/Gas Fourway Sideloaders 3050 series

- 3 4.5 tonne capacity; load bed width 800 1800 mm; lift heights up to 6.5 m
- Powerful diesel or gas engines meeting Euro emission norms
- Hydrostatic all-wheel drive with "differential lock" for poor ground / floor conditions, even on slippery surfaces like ice and snow
- Swiveling seat allows use as front loader, sideloader and fourway sideloader

Sideloaders 3200 and 3201 series

- 3 20 tonne capacity; load bed width up to 2500 mm; lift heights up to 7 m
- Motive power with electric motor, diesel or LPG engines
- Designed for safe handling of heavy and long loads
- Indoor and outdoor applications
- Travel speed up to 24 km/hr, especially suited for longer driving distances
- Tiltable load bed safely holds material while driving, increases productivity

Electric Fourway Pedestrian Stacker EGPL series

- 1.4 3.5 tonne capacity; load bed width up to 1700 mm; lift heights up to 6.5 m
- Fourway capability makes it perfect for handling long loads in narrow aisles or spaces
- Indoor and outdoor application with different tyres
- Operator position options: Pedestrian, stand up platform or seated
- Wide straddles with fork spreads up to 1.5 m provide stability for handling long loads at height

Electric Multidirectional Walkie Sideloaders 2100 series

- 1.4 2.5 tonne capacity; load bed width up to 1600 mm; lift heights up to 6.5 m
- Indoor and outdoor application with different tyres
- Front / back tilt of forks helps safe handling and transport of loads
- Option: Roller guidance system for operating in narrow aisles

Other equipment in the range:

- Electric Multidirectional Order Picker up to 10 tonne capacity and lift heights up to 10 m
- Compact Diesel and LPG Forklifts up to 25 tonne capacity
- Electric Reach Trucks 3.5 to 6 tonne capacity

TENNANT

INDUSTRIAL CLEANING EQUIPMENT

- World leader in industrial cleaning solutions with a mission to help create a clean, green, healthy and safe environment
- · Machines are very rugged, built to last
- An innovation leader focused on continuous innovation and development of new technologies targeted to reduce operating costs, improve productivity and make the environment cleaner
- Sweep Smart, FaST and ec-H2O are some of Tennant's patented technologies



Sweepers

- · Cylindrical broom sweeps up dust, dirt, debris from your floor
- Patented Sweep Smart technology traps dust as small as 0.5 micron in size (smaller than cigarette smoke particles)
- Sweeps 2,500 to 50,000 sq.m. per hour; hopper capacity 80 to 2,600 litre
- Power source: Diesel / LPG / Battery
- Indoor / outdoor operation, warehouses, factories, cement / steel / aluminium plants



Scrubbers

- For wet cleaning applications
- Patented parabolic squeegee technology creates a virtually dry floor behind the machine
- Scrubs 2,500 to 7,500 sq.m. per hour; tank capacity 40 to 300 litre
- Power source: Battery / Diesel / LPG
- Cleaning of concrete or epoxy coated indoor flooring in automobile plants, warehouses, airports, pharmaceutical plants, retail stores, etc.
- Option: Patented ec-H2O technology uses electrically charged water.
- Eliminates need for detergent, reduces water consumption by 70%, boosts productivity by 30%



Sweeper cum Scrubbers

- Integrated, simultaneous sweeping and scrubbing in one pass
- Patented brush technology sweeps and scrubs simultaneously with the same set of brushes
- Consumables expenses reduced by 30%
- Cleans 5,000 to 7,500 sq.m. per hour; tank capacity 212 to 284 litre
- Power source: Diesel / LPG / Battery
- Designed for large indoor areas like airports, large warehouses, automobile plants, bottling plants, breweries, etc.



Suction Sweepers

- Use powerful air suction to pick up dust, dirt, leaves and litter from dry and wet roads. Also works on grass and footpaths/kerbs
- 3 stage cyclonic dust control system traps dust down to 3 micron size
- Sweeps 7,500 to 16,000 sq.m. per hour; hopper capacity 284 to 1,000 litre
- Power source: Diesel
- Designed for large outdoor areas like company / university campus, sports complexes, lawns, stadiums, etc

MERLO

TELESCOPIC HANDLERS

- World leader in telehandlers
- Highly integrated production facility; manufactures 90 % of all components
- Over 70 different models of telescopic handlers
- Ideally suited to rough terrain application
- Multi purpose equipment with various attachments to provide versatility



Merlo Panaromic

- 2.5 to 12 tonne lift capacity; lift heights 6 18 m
- 4 wheel drive and three modes of steering
- Electronically controlled hydrostatic transmission
- Independent stabilizers
- Boom side shift and frame leveling



Merlo Roto

- 3.8 to 5 tonne lift capacity; lift heights 10 30 m
- 4 wheel drive and three modes of steering
- Tilting cab and 360° turrent slew
- Load Sensing hydraulic system
- Merlin digital control and diagnostic system
- Electronically controlled hydrostatic transmission



- 40 years' experience in construction sector
- Offers widest range of Aerial Work Platforms to meet all possible applications
- Models with IC engine and electric motor drive





Easy Up

- Compact scissor lift with working height of 5.2 m and 200 kg capacity (single person)
- Available in both manual traction and self propelled versions
- Can be driven through standard doorways and carried in passenger elevators

Electric Scissor Lifts

- 3-12 m platform height
- Full load capacity of the machine available on deck extensions
- Indoor and outdoor application
- Machine can travel with platform fully raised
- Advanced electric components try to ensure low noise, high energy conservation and low level of pollution

Diesel Scissor Lifts

- 12-17 m platform height.
- Full load capacity of the machine available on deck extensions
- 4 wheel drive and 4 wheel steer for outdoor application
- Stabilizers for use on uneven ground

Articulated Boom Lifts

- 10 and 15 m platform height, with 220 kg capacity
- Outreach: 4.84 m to 7.63 m
- Suitable for both indoor and outdoor use
- Advanced electronic MOSFET controllers for enhanced efficiency

LEM Tracked Aerial Work Platforms

- Suited to outdoor applications, with the option to work indoors
- Available in both diesel and petrol versions
- Equipped with stabilizers for extra stability and safety features such as load sensors, radio controls and limiting device system










LEADER WORK PLATFORMS Compact size and light weight to allow movement through elevators





- Specializes in high capacity tow tractors
- Globally renowned for Aircraft push back Tow Tractors
- Main application
 Aircraft push back, cargo handling, baggage towing, Industrial Towing



Aircraft push back - heavy duty Tow Tractors

- Towing capacity 63 Tonne to 90 Tonne
- 4 forward speeds and 1 reverse speed



Electric Tow Tractors

- Towing capacity upto 20 tonne
- Indoor and outdoor application
- High efficiency AC motor allows for longer duty -cycles
- Very compact construction for high maneuverability



Diesel / LPG Tow Tractors

- Towing capacity upto 27 tonne
- Exceptionally good forward visibility
- Maneuvers in tight space due to low turning radius
- 3 forward speeds and 1 reverse speed
- · Used for baggage and cargo handling and other industrial towing applications



Heavy Duty Diesel Tow Tractors

- Towing capacity 36 tonne to 45 tonne
- 3 forward speeds and 1 reverse speeds
- · Used for Cargo handling and heavy industrial towing



- Largest service network in India with 17 company branches and over 50 channel partners
- Large basket of services offered to suit every type of lift truck, duty cycle and budget
- Major overhauls and upgradation work is also carried out at our Delhi, Jaipur, Chennai, Chandigarh and Bangalore branches besides Mumbai



Spare Parts and Technical Assistance

- Qualified, trained, experienced field force of over 100 engineers and technicians located at the 16 company branches provide prompt and competent technical assistance and intervention
- Supported by a wide network of over 45 dealers for spare parts and technical intervention
- Managed by a specialized Technical Cell at Mumbai to train, guide and support this large field force
- Spares stocks maintained at Mumbai, various branches and with dealers ensure a high degree of parts availability



Training

- The most vital part of owning a lift truck is knowing how to use and maintain it correctly
- Correctly used and well maintained equipment are productive, profitable assets for any organization
- We offer basic, in-depth and refresher courses at our works in Vikhroli as well as on site for operators and maintenance personnel




Operations and Maintenance Contracts (OMC)

- We offer OMCs for Godrej equipment as well as those of our partners
- Tailored to the condition, duty cycle and composition of your equipment
- Scope of the contract may include equipment operator, spares, consumables, technical manpower and administration depending on your needs



Annual Maintenance Contracts (AMC)

- A purely technical assistance service package
- Mutually agreed number of preventive maintenance calls during an operational year
- Provision for certain hours to address minor breakdowns
- Parts and consumables are offered as required







Overhaul Services

- Professional assessment of your equipment by our qualified, experienced staff ensures best results
- Scope is adjusted to suit the needs of the truck, your operations and budget
- Overhauls may include complete strip down, repair and re-building of engine, transmission, drive axle, steering system, hydraulics, mast and new wiring, besides new consumables, battery, paint and tyres



Upgradation Services

- Rejuvenation packages for your old forklifts to give them a second lease of life
- Reduce emissions in your factory with a new, emission compliant diesel engine
- Upgrade old resistor based electric forklifts to modern MOSFET electronic
- Controllers for greater energy efficiency and smoother drive characteristics
- Reduce operator fatigue and maintenance issues by replacing your old steering system with a sturdy lateral cylinder steer axle




Buyback Packages

- Trade in your old forklifts against our latest, contemporary forklifts that offer greater operating efficiency, operating economy, higher reliability
- Avail an attractive discount on the new forklift



Equipment on Hire

- Short- and long-term hiring contracts offered
- New and pre-owned equipment to choose from, depending on your application and usage
- Scope of contract may include the equipment, operator, fuel, spares, consumables, maintenance and administration depending on your needs
- We offer Godrej lift trucks as well as equipment from our partners





Godrej & Boyce Mfg. Co.Ltd,

Plant 16, Pirojshanagar,

Vikhroli, Mumbai – 400 079.

Ph: +91 22 6796 4660 Fax: +91 22 6796 1519

Email: mhemktg@godrej.com

Mumbai: 022 67961725/1291 Pune: 020 66255121/22

Ahmedabad: 079 66060646/06 Indore: 0731 4069335/2532917

Raipur: 0771 6606606 Chennai: 044 66544431/32 Bangalore: 080 66472251 Kochi: 0484 6612777/609 Hyderabad: 040 66431203 Vizag: 0891 2517930/2746511 Delhi: 011 66507340/50

Chandigarh: 0172 5012525/5037738

Jaipur: 0141 6701441/2 Lucknow: 0522 6754961 Kolkata: 033 66013771-75 Bhubaneshwar: 0674 2374626 Guwahati 03612 468242

Coimbatore 0422 254 5799/599

Overseas Branch & Service Centre SAIF Zone, PO Box 8549, Sharjah, UAE.

Ph: +971 55899 2305/2316 Fax: +971 6557 0966

www.godrejmhe.in

